

Urban ecology: advancing science and society

Colby J Tanner^{1*}, Frederick R Adler², Nancy B Grimm³, Peter M Groffman⁴, Simon A Levin⁵, Jason Munshi-South⁶, Diane E Pataki⁷, Mitchell Pavao-Zuckerman⁸, and William G Wilson⁹

Urban ecology has quickly become established as a central part of ecological thinking. As cities continue to grow in size and number, two questions serve to unify this broad and multidisciplinary research landscape: (1) how can urban ecology contribute to the science of ecology, and (2) how can urban ecology be applied to make cities more livable and sustainable? In spite of the advances made thus far, there are many unexplored ways of integrating the science and application of urban ecology. Although scientists assess and make predictions regarding the connections between environmental and socioeconomic processes, practitioners involved in real-world application deal with urban planning and with designing ecosystem services to improve living conditions for all urban inhabitants and to make cities more sustainable. Research in urban ecosystems can be developed from many different perspectives, and we suggest that each perspective has something to offer both society and the science of ecology. We present several research perspectives and describe how these can integrate conceptual and applied aspects to bridge the figurative gaps between trees, buildings, and people.

Front Ecol Environ 2014; 12(10): 574–581, doi:10.1890/140019

In proposing the ecosystem as an organizational framework, Tansley (1935) explicitly included the effects of humans. When asking, “Is man part of ‘nature’ or not?”, Tansley concluded that “human activity finds its proper place in ecology”. Nowhere is the human–nature interface more unmistakable than in urban ecosystems, and urban ecology has quickly become established within the discipline of ecology (Grimm *et al.* 2013). This rapid development was fueled by a need for multidisciplinary approaches when studying the extraordinary rate of

urbanization and the complex connections among sociological and environmental factors (Brennan 1999; Young 2009). Now, for the first time in recorded history, the majority of people live in cities; moreover, with the characteristics of cities foreshadowing those of the planet, urban ecology is playing an increasingly important role within ecology (Grimm *et al.* 2008a). Furthermore, urban ecosystems will be on the “front lines” of environmental and sociological change, providing urban ecologists with new and exciting possibilities that combine research with implementing urban design and planning, as well as advocating policy.

Across the biological sciences, efforts to understand the mechanisms that underlie patterns have found both inspiration and a worthy challenge in the city (Grimm *et al.* 2008b). Human amplification of ecological processes in urban areas tightens the links among these processes at different biological, temporal, and spatial scales. For example, disease spread through co-occurring populations of wild animals and household pets depends on the behavior, evolution, and immunological responses of both the wild and the domesticated animals; local regulations; pet owner behavior; and the habitat configuration, nutrient availability, and climate of the broader ecosystem (Adler and Tanner 2013). Ecologists have developed principles to help understand such processes, but considering them within an urban framework demands a more integrative way of thinking (Grimm *et al.* 2000; Forman 2008a).

Pickett *et al.* (2008) characterized the challenges urban ecologists face: “urban ecosystems are complex, dynamic biological–physical–social entities, in which spatial heterogeneity and spatially localized feedbacks play a large role”. Addressing such challenges requires interdisciplinary thinking and, depending on the goals of a project,

In a nutshell:

- Taking the emerging discipline of urban ecology “to the next level” of scientific understanding and practical application requires approaches that link the biophysical and social sciences with planning, design, and management
- Integrating ideas and methods from various disciplines – including infrastructure sciences; organismal and evolutionary biology; critical geography; sociology; and ecosystem, behavioral, and political ecology – has great potential in advancing the field of urban ecology

¹School of Biological Sciences, University of Nebraska–Lincoln, Lincoln, NE * (colbyjtanner@gmail.com); ²Departments of Biology and Mathematics, University of Utah, Salt Lake City, UT; ³School of Life Sciences, Arizona State University, Tempe, AZ; ⁴Cary Institute of Ecosystem Studies, Millbrook, NY; ⁵Department of Ecology and Evolutionary Biology, Princeton University, Princeton, NJ; ⁶Department of Biological Sciences, Fordham University, Bronx, NY; ⁷Department of Biology, University of Utah, Salt Lake City, UT; ⁸Biosphere 2 and Department of Ecology and Evolutionary Biology, University of Arizona, Tucson, AZ; ⁹Department of Biology, Duke University, Durham, NC

perhaps also an interdisciplinary team (Collins *et al.* 2000; Cid and Pouyat 2013; McHale *et al.* 2013). Indeed, an urban ecology study might require a team composed of ecologists, economists, sociologists, meteorologists, hydrologists, health-care professionals, landscape designers, planners, and politicians (Bettencourt and West 2010). Such broad, multifaceted collaborations have made remarkable progress in understanding the holistic social–biophysical–ecological processes of urbanization over the past several decades (Pickett *et al.* 2008; Collins *et al.* 2011; Grimm *et al.* 2013). Although our understanding of urban ecosystems is expanding rapidly, how to use this growing body of knowledge to the benefit of society is much less well established (Brennan 1999; Leach *et al.* 2010; Cote and Nightingale 2012).

As scientists continue to learn more about the intended and unintended consequences of engineering built environments, they are in a position to begin asking what urban ecology can do for the science of ecology (eg Collins *et al.* 2000) as well as for society (eg Young and Wolf 2006; Pataki *et al.* 2011; Douglas 2012). Specifically, how can urban ecologists promote ecological investigation and work with planners and politicians to make cities more livable and sustainable? Such questions can be asked from many different perspectives (eg Grimm *et al.* 2008b; Beatley 2010; Cook and Swyngedouw 2012; Pincetl 2012; Wheeler 2013; Childers *et al.* 2014), so maintaining a diversity of approaches will allow the field of urban ecology to continue to develop as a science while simultaneously providing benefits to people living in cities (Young and Wolf 2006).

However, a diverse combination of disciplines, goals, and stakeholders can also make integrating and advancing science more difficult. Finding ways to integrate research, planning, and citizen involvement is therefore also vital for urban ecologists. We present five different research perspectives on urban ecosystems (Figure 1), show how each opens a potential new path forward for the interested ecologist, and discuss how these perspectives can improve our ecological understanding as well as the livability of cities.

We argue that the success of urban ecology will be measured by the ability of urban ecologists to continue advancing the science while simultaneously providing tangible benefits to society. Future success therefore depends on ecologists' ability to include elements that are unfamiliar to their discipline and often to science in general. Ecologists – whether focused on behavior, communities, evolution, physiology, or ecosystems – are well posi-




Figure 1. An example of five different perspectives of urban ecosystems according to ecological discipline. The combination of these perspectives will be vital in helping urban ecologists to understand urbanization while also helping to make cities more livable and sustainable.

tioned to address these challenges, given their training in system approaches that can be directed to both the basic and applied aspects of urban systems (Pickett and Cadenasso 2006).

■ Five perspectives of urban ecology research

The ecology and evolution of, and in, cities

The multitude of interactions between humans and urban ecosystem function has been studied from many angles. From an ecological perspective, the types and degrees of disturbances associated with urban ecosystems challenge scientists to develop principles to trace complex feedbacks between human actions and their effects on ecosystems and organisms. Two emerging ideas are broadening the scope of this approach.

First, urban environments are not created *de novo*, but are developed within the context of their region. As global change accelerates, this context plays an important role in the challenges associated with accelerated urbanization (De Sherbinin *et al.* 2007), creating a situation in which urban areas could begin to face place-based vulnerabilities to climate hazards that lie outside even recent urban experience (Kunkel *et al.* 2010). Furthermore, not all cities grow and develop in the same way (McHale *et al.* 2013). As products of human planning within the context of broader regional scales, urban



Figure 2. As aging urban infrastructure degrades, many ecological, social, and economic problems, as well as opportunities, may arise. Urban ecologists will be called on to help develop science and policy to maximize the opportunities for urban inhabitants equitably and in sustainable ways.

areas are likely to change and respond to challenges in different ways. These responses not only apply stress to human infrastructure but also move ecosystems into new and unfamiliar states. The science of urban ecology will be well served by including these states as they are created by human-induced changes at many scales. Therefore, in addition to developing principles that help to generalize urban ecosystems, it is equally important for urban ecologists to investigate and predict the ways in which cities differ globally.

Second, as they become larger, older, and more interconnected, cities have the potential to act as hotspots of microevolution; examples include rapid evolution in response to antagonistic selective pressures (eg antimicrobials, pesticides, and hunting), pollution, and fragmentation (Vandergast *et al.* 2007; Cheptou *et al.* 2008; Whitehead *et al.* 2010). From the perspective of ecological communities, the complex effects of fragmentation can reshape intraspecific competition and interspecific interactions, which in turn cause changes in dispersal, competitive behavior, and social behavior. These hotspots could provide ideal opportunities to observe and understand evolution in the “new wild”, including the eco-evolutionary feedbacks between urban organisms and their environments. In addition, as with predicting how cities will differentially respond to global change, predicting evolutionary responses on a local scale will help planners and designers more effectively manage future climate hazards and less-desirable urban organisms.

The ecology of urban infrastructure

The study of ecology in cities has often focused on non-human organisms and remnant habitats, and how they respond to human-induced changes around them.

However, the built environment itself is an important part of the urban ecosystem. Understanding this “gray infrastructure” (ie man-made components of urban ecosystems) on its own terms is an emerging frontier for ecologists, and one that is tied to questions of design and engineering.

Under a shifting climate regime, infrastructure will be increasingly stressed not only by altered nutrient, material, and water flows, but also by the effects of invasive species. Understanding how urban ecosystems respond to stress requires the inclusion of all infrastructure, including the built environment. Aging and degradation of urban infrastructure comes with ecological and economic costs, as well as with design and planning opportunities (Figure 2; Kaushal and Belt 2012). Although creating infrastructure has traditionally been the purview of engineers and designers, evaluating how

biophysical and socioeconomic environments interact with design must become part of the broader science of urban ecology (Grimm *et al.* 2008b). For instance, urban ecologists will be called on to evaluate how different combinations of gray and green (ie biologically derived components of urban ecosystems) infrastructure affect stormwater runoff to control flooding and erosion, maintain nutrient retention and cycling, and provide other services such as recreation (Collins *et al.* 2011; Pincetl 2012). Evaluation of the functioning of the built environment can capitalize on “designed experiments”, wherein scientists work with landscape designers to give urban ecologists avenues to simultaneously create and evaluate designs in a controlled manner (Felson *et al.* 2013; Ahern *et al.* 2014). These types of experiments will further an understanding of complex ecological concepts and provide applied solutions.

In addition to shifting biogeophysical contexts, processes within the urban ecosystem can change with city size. From this perspective, research on the size of habitat patches, which has played a key role in ecological thinking, can be applied to cities. Larger cities may provide a greater range of public goods (eg services, parks, roads, and airports) with lower per capita infrastructure needs, but also bring public ills (eg congestion, pollution, disease, and crime; Bettencourt 2013). The expansion of cities is generally associated with an increase in social quantities (eg wages and innovation), as well as economic inequality and segregation among urban inhabitants, emphasizing the importance of understanding how heterogeneous characteristics of a city scale with size. Including ecological and sociological theory and applied ecology within urban ecosystems will lead to system components, from the buildings and pipes in the urban core to the exurban fringe, being treated as part of the whole (Forman 2008b).




Figure 3. Urban ecosystems are an amalgamation of blue, gray, and green infrastructures, with tight spatial and cultural links. Understanding the ecological effects of these links, and how these effects feed back to the well-being of urban inhabitants, depends on many historical and place-based contexts. For example, the cities of Vancouver, Canada (a) and Cape Town, South Africa (b) are both composed of infrastructural and ecological components similar to those of all cities, yet each city has unique characteristics that have emerged from its geography and history.

The science of nature within cities

Just as urban ecosystem science brings the built environment into the purview of ecological thinking, it recognizes human well-being as a focal point of urban planning and design, and acknowledges that issues such as health, happiness, comfort, safety, and security are inexorably tied to humans' connections with the natural world. As cities continue to grow and transition from the sanitary ideal of the past century to a sustainable mix of various colored infrastructures (eg gray man-made components, green vegetation, brown soils, and blue water), a new understanding of the role that nature plays in urban society will need to be developed (Pincetl 2012; Grimm *et al.* 2013). Just as urban ecosystems result from the interaction between human design and a larger regional context, so cities themselves can be thought of as “reconstructed nature” (Pincetl 2012), with both shared and unique characteristics (Figure 3). In fact, cities offer urban inhabitants multiple ways of being engaged with nature according to their preferences and social, cultural, and environmental conditions (Standish *et al.* 2013).

Although interactions between humans and their surrounding flora have been assumed to be important, the actual geographical relationships between humans and plants are still surprisingly vague (Head and Atchison 2009). There is increasing evidence of physiologically and psychologically important interactions between humans, their socioeconomic status, and their surrounding environment (Heynen *et al.* 2006; Wolch *et al.* 2014). Excessive heat and poor air quality have negative consequences for human health, and a lack of trees in the environment, often associated with low socioeconomic status, translates into sociological, physiological, and psychological costs (Figure 4; reviewed in Wolch *et al.* 2014). Furthermore, there are potential human physical and psychological benefits to having access to green space with high biodiversity (Fuller *et al.* 2007), although the bene-

fits of actual diversity versus perceived diversity are still unclear (Dallimer *et al.* 2012). In addition to the direct health benefits associated with green space, stewardship of urban green space resulting from an interest in health and recovery can be associated with social, natural, and economic capital (Burls 2007). In this way, urban green space simultaneously provides both individual and common goods. However, not all urban human–flora interactions are positive. For instance, urban parks may be associated with personal safety issues (reviewed in McCormack *et al.* 2010), and pollen from urban plants can cause respiratory problems (Lyytimäki *et al.* 2008). By gaining a better understanding of the relationship between nature and city residents, urban ecologists can help design cities that optimize both infrastructure and ecosystem services.

The importance of an intersection between the city and the natural world for urban inhabitants (eg gardens and parks) is a central theme of “middle nature”, which conceptually describes turning nature into culture and providing access to all by merging the natural world and the built environment (Cosgrove 1993). Middle nature therefore is a way of considering the many roles of cultivated nature in the city. Some of these roles involve the benefits that nature provides to humans within the built environment (ie ecosystem services). But how these services are measured is open to interpretation (Reyers *et al.* 2013) and further depends on how such services are defined as well as on humans' experience with the natural world (Krasny *et al.* 2014). The way in which people inhabit this world in turn shapes the broader phenomena of urban culture, economics, and governance, each of which varies dramatically at global and local scales. Yet scientists know surprisingly little about how these feedbacks filter from the urban ecosystem back into human experience, let alone society. Surveys have shown that individuals are happier in the short term when they have higher financial incomes; but at larger temporal and spa-




Figure 4. Many aspects of human physical and mental health can be linked to something as basic as whether or not an urban resident's view of the urban ecosystem (a) includes (b) or excludes (c) a view with trees. Perhaps even more important for urban ecologists is answering questions regarding what types of trees should be planted where to optimize the human–environment interaction for all members of the urban ecosystem, and how related services can be provided where they are most needed.

tial scales, human life satisfaction is more strongly correlated with social capital (ie social cohesion and personal investment in the community) and access to quality outdoor recreation (Vemuri *et al.* 2011; Hager *et al.* 2013). How satisfaction with the environment feeds back to modify society remains to be seen.

The behavior and evolutionary ecology of urban humans

The social, political, and economic structure of urban societies largely determines the way in which humans create the urban environment. But what do ecologists have to offer in terms of understanding phenomena that have long been the subjects of history, economics, and political science? Below, we spell out two of the reasons that ecological thinking does indeed have a place in analyzing the dynamics of urban humans.

First, many ecologists work comfortably with complex feedbacks among processes that occur at different organizational levels, from physiology to climate. For example, the urban heat island effect involves processes ranging from the physics of surfaces, sunlight, and water, to the physiology of plants and the behavior of humans – and each of these processes can be decoupled temporally and spatially. Understanding the consequences of urban heat islands for plants and animals requires an understanding of their behavioral, physiological, and possibly evolution-

ary responses, including a positive feedback from reduced evapotranspiration and increased air conditioning, back to increased temperatures. Placing humans within a socioecological context requires an understanding of these types of feedbacks. The physiological stresses of urban heat islands are accentuated in lower-income areas, which typically have reduced tree cover (reviewed in Wilson 2011 and Wolch *et al.* 2014). Behavioral responses are more limited in these areas because poverty reduces opportunities for active or passive cooling, for example through the use of swimming pools (Harlan *et al.* 2007). Urban heat islands are thus embedded in a succession of feedbacks involving human society, with poorer areas becoming trapped in a local warming cycle. These feedbacks, with their ties to nature within cities, exemplify the difficulties that ecologists face when including political and socioeconomic issues in their analyses (Wolch *et al.* 2014). In a given city, how do ecologists effectively persuade elected municipal officials that more trees need to be planted in response to voters demanding a higher standard of living? Furthermore, what types of trees should be planted, how many, and where? Or rather how should urban areas be designed to optimize the human–environment relationship (Pataki *et al.* 2011)? Only by making known the explicit connections between the natural environment and quality of life will ecologists be able to help in the design of urban areas most affected by this relationship.

Second, ecology, like all of biology, is unified through evolutionary thinking. From an evolutionary perspective, early humans generally used group living strategies to deal with the selective pressures of finding resources, gaining knowledge, and obtaining protection; humans have

therefore evolved a wide range of psychological mechanisms to collectively solve these challenges (Van Vugt and Kameda 2013). As the ancestors of modern humans developed new technologies, leading to intensification (eg agriculture), the effects of niche construction and social structure on group cohesion, information sharing, and workforce specialization were key components of their success (Johnson and Earle 2000). In principle, modern humans evolved from ancestors that used social cohesion to solve problems relating to uncertainty in their environment (Larson and Christensen 1993; Van Vugt and Kameda 2013). As social cohesion in urban areas disintegrates, largely due to a combination of socioeconomic and environmental pressures, cities are becoming increasingly prone to crime (Kuo and Sullivan 2001, reviewed in Brennan 1999), again linking nature and health with human behavior. In many areas, governmental intervention plans overlook these underlying determinants (Jütersonke *et al.* 2009), thereby complicating the integration of science and policy. Before discussing this issue, however, we must first address how groups of individuals living in proximity agree on a set of common goals (Levin 1999). Urban ecologists are positioned to use research and principles from voting theory and collective decision making, as well as from behavioral and evolutionary ecology, to understand governance in cities where humans and non-human animals share common environmental and economic resources (Ehrlich and Levin 2005).

Citizen and stakeholder science

Many successful ecologists think about their study systems from the perspectives of the organisms or ecosystems that they study (eg “thinking like a mountain”; Leopold 1949). As humans become more integrated into ecological studies as both agents and subjects, ecologists find themselves in the unusual position of needing to think about the urban environment as would non-scientists. Paradoxically, thinking like a typical urban human might be more difficult for an urban ecologist than thinking like a deer in a forest. Every urban resident brings a unique objective, perspective, history, and set of needs – determining the identity and location of the stakeholders most in need of science and policy integration is a daunting but essential part of urban ecological studies.

Involving these stakeholders as partners in research, particularly with regard to sustainability and access to ecosystem services, generates useful questions and interactions (Groffman *et al.* 2010). The model of “civic ecology” – where scientists work with urban residents to develop questions and methods, collect and interpret data, and ultimately translate these data into policy recommendations – can be far more effective than the more traditional one-way dissemination of knowledge from scientists to the general public (Krasny and Tidball 2012). This comparison between information sharing and infor-

mation flow is critical to integrating science and policy in urban ecosystems. If obtaining funding, performing research, and publishing results are not having an effect “on the ground”, then collaborating with stakeholders could provide a mechanism to do so.

Even for general science questions that do not directly involve people, urban ecology is an ideal setting for new collaborations and teaching opportunities. For instance, enclosure experiments, residential development, and the evolution of urban organisms all provide opportunities for involving stakeholders, including students and citizen scientists (Dickinson *et al.* 2012). As working with stakeholders becomes more “normal” for urban ecology, problem solving by integrating science and policy will be one of the primary advances.

Conclusions

The term “ecology” was coined by Ernst Haeckel to mean “the study of the house or habitation”, whereas “economics” has the related but more directed meaning of “the art of managing a household”. For most people, the city is now their “house”. Just as architects cannot design buildings without considering the people who inhabit them, policy makers cannot manage cities without a holistic understanding of how urbanization affects both human and non-human residents. Furthermore, as urban populations grow and infrastructure ages, studies that can best determine how to provide cost-effective services to the urban inhabitants most in need will be in high demand. Ecology encompasses a broad spectrum of disciplines; with their diverse set of skills and interests, ecologists will be able to provide links between the natural and built environments. To ensure this outcome, urban ecologists must find ways of continuing to promote the science of ecology while also becoming more involved with planners and policy makers. As demonstrated here, although the research perspectives of urban ecology can be extremely varied, they share a common, inclusive theme of promoting science and benefiting society. The difficulties of integrating science and policy can be amplified when, as is often the case, stakeholders have differing agendas. For example, how do we balance the need for managing the “global commons” with the need for addressing the increasingly imperative “brown issues” of pollution and land degradation (Brennan 1999)? And how can we promote the protection of endangered species in an area while ignoring the health and environmental problems faced by the people living there (Hardoy and Satterthwaite 1991)? Such questions are further complicated when the associated costs and benefits vary with temporal and spatial scales. Environmentalists are occasionally accused of caring more about trees than people; perhaps when we fail to include people as part of our studies, this may appear equally true of ecologists. By approaching urban ecosystems with a more inclusive perspective, which seeks to integrate both conceptual and

applied aspects, urban ecologists will be better prepared to help bridge the gaps between trees, buildings, and people.

The German writer Goethe (1749–1832) supposedly said, “A poem is just as much a part of nature as a tree”. The built environment, nature in its many forms, and humans all share a complex network of interdependent connections that provide both academic and applied challenges. To advance the science of ecology, as well as promote benefits to society, urban ecologists must approach their discipline in a similarly inclusive manner, ready to incorporate unfamiliar areas ranging from economics to politics. But such roles can be challenging. For example, how will advocating policy affect scientists’ ability (real or perceived) to remain objective? For now we can only say, “let your conscience be your guide”, and suggest this as another area where collaborative research would be useful. Although making these links is challenging, Goethe’s observation highlights a key element of modern urban ecology and suggests that interfacing with unfamiliar disciplines will help us to understand and more effectively manage the urban ecosystems that are coming to dominate our planet.

■ Acknowledgements

This manuscript is the culmination of a series of Ignite sessions given at the Ecological Society of America’s 2013 Annual Meeting.

■ References

- Adler FR and Tanner CJ. 2013. Urban ecosystems: ecological principles for the built environment. Cambridge, UK: Cambridge University Press.
- Ahern J, Cilliers S, and Niemelä J. 2014. The concept of ecosystem services in adaptive urban planning and design: a framework for supportive innovation. *Landscape Urban Plan* **125**: 254–59.
- Beatley T. 2010. Biophilic cities: integrating nature into urban design and planning. Washington, DC: Island Press.
- Bettencourt L. 2013. The origins of scaling in cities. *Science* **340**: 1438–41.
- Bettencourt L and West GB. 2010. A unified theory of urban living. *Nature* **467**: 912–13.
- Brennan EM. 1999. Population, urbanization, environment, and security: a summary of the issues. *W Wilson Comp Urban Stud* **5**: 4–14.
- Burls A. 2007. People and green spaces: promoting public health and mental well-being through ecotherapy. *J Public Ment Health* **6**: 24–39.
- Cheptou P-O, Carrue O, Rouified S, and Cantarel A. 2008. Rapid evolution of seed dispersal in an urban environment in the weed *Crepis sancta*. *P Natl Acad Sci USA* **105**: 3796–99.
- Childers DL, Pickett STA, Grove JM, *et al.* 2014. Advancing urban sustainability theory and action: challenges and opportunities. *Landscape Urban Plan* **125**: 320–28.
- Cid CR and Pouyat RV. 2013. Making ecology relevant to decision making: the human-centered, place-based approach. *Front Ecol Environ* **11**: 447–48.
- Collins JP, Kinzig A, Grimm NB, *et al.* 2000. A new urban ecology. *Am Sci* **88**: 416–25.
- Collins SL, Carpenter SR, Swinton SM, *et al.* 2011. An integrated conceptual framework for long-term social-ecological research. *Front Ecol Environ* **9**: 351–57.
- Cook IR and Swyngedouw E. 2012. Cities, social cohesion and the environment: towards a future research agenda. *Urban Stud* **49**: 1959–79.
- Cosgrove D. 1993. The picturesque city: nature, nations and the urban since the eighteenth century. In: Larsen E, Møller PG, and Petersen SE (Eds). *City and nature: changing relations in time and space*. Odense, Denmark: Odense University Press.
- Cote M and Nightingale AJ. 2012. Resilience thinking meets social theory: situating social change in socioecological systems (SES) research. *Prog Hum Geog* **36**: 475–89.
- Dallimer M, Irvine KN, Skinner AMJ, *et al.* 2012. Biodiversity and the feel-good factor: understanding associations between self-reported human well-being and species richness. *BioScience* **62**: 47–55.
- De Sherbinin A, Schiller A, and Pulsipher A. 2007. The vulnerability of global cities to climate hazards. *Environ Urban* **19**: 39–64.
- Dickinson JL, Shirk J, Bonter D, *et al.* 2012. The current state of citizen science as a tool for ecological research and public engagement. *Front Ecol Environ* **10**: 291–97.
- Douglas I. 2012. Urban ecology and urban ecosystems: understanding the links to human health and well-being. *Curr Opin Environ Sustain* **4**: 385–92.
- Ehrlich PR and Levin SA. 2005. The evolution of norms. *PLoS Biol* **3**: e194.
- Felson AJ, Pavao-Zuckerman MA, Carter TC, *et al.* 2013. Mapping the design process for urban ecology researchers. *BioScience* **63**: 854–65.
- Forman RTT. 2008a. Urban regions: ecology and planning beyond the city. Cambridge, UK: Cambridge University Press.
- Forman RTT. 2008b. The urban region: natural systems in our place, our nourishment, our home range, our future. *Landscape Ecol* **23**: 251–53.
- Fuller RA, Irvine KN, Devine-Wright P, *et al.* 2007. Psychological benefits of greenspace increase with biodiversity. *Biol Lett* **3**: 390–94.
- Grimm NB, Grove JM, Pickett STA, and Redman CL. 2000. Integrated approaches to long-term studies of urban ecological systems. *BioScience* **50**: 571–84.
- Grimm NB, Faeth SH, Golubiewski NE, *et al.* 2008a. Global change and the ecology of cities. *Science* **319**: 756–60.
- Grimm NB, Foster D, Groffman P, *et al.* 2008b. The changing landscape: ecosystem responses to urbanization and pollution across climatic and societal gradients. *Front Ecol Environ* **6**: 264–72.
- Grimm NB, Redman CL, Boone CG, *et al.* 2013. Viewing the urban socioecological system through a sustainability lens: lessons and prospects from the Central Arizona–Phoenix LTER Programme. In: Singh SJ, Haberl H, Chertow M, *et al.* (Eds). *Long term socioecological research*. Dordrecht, The Netherlands: Springer.
- Groffman PM, Stylinski C, Nisbet MC, *et al.* 2010. Restarting the conversation: challenges at the interface between ecology and society. *Front Ecol Environ* **8**: 284–91.
- Hager GW, Belt KT, Stack W, *et al.* 2013. Socioecological revitalization of an urban watershed. *Front Ecol Environ* **11**: 28–36.
- Hardoy JE and Satterthwaite D. 1991. Environmental problems of third world cities: a global issue ignored. *Public Admin Develop* **11**: 341–61.
- Harlan SL, Brazel AJ, Jenerette GD, *et al.* 2007. In the shade of affluence: the inequitable distribution of the urban heat island. In: Wilkinson RC and Freudenburg WR (Eds). *Equity and the environment (research in social problems and public policy, vol 15)*. Bingley, UK: Emerald Group Publishing.
- Head L and Atchison J. 2009. Cultural ecology: emerging human–plant geographies. *Prog Hum Geog* **33**: 236–45.
- Heynen N, Perkins HA, and Roy P. 2006. The political ecology of uneven urban green space – the impact of political economy on race and ethnicity in producing environmental inequality in Milwaukee. *Urban Aff Rev* **42**: 3–25.
- Johnson AW and Earle T. 2000. The evolution of human societies:

- from foraging group to agrarian state. Stanford, CA: Stanford University Press.
- Jütersonke O, Muggah R, and Rodgers D. 2009. Gangs and violence reduction in Central America. *Secur Dialogue* **40**: 373–97.
- Kaushal SS and Belt KT. 2012. The urban watershed continuum: evolving spatial and temporal dimensions. *Urban Ecosyst* **15**: 409–15.
- Krasny ME and Tidball KG. 2012. Civic ecology: a pathway for Earth Stewardship in cities. *Front Ecol Environ* **10**: 267–73.
- Krasny ME, Russ A, Tidball KG, and Elmquist T. 2014. Civic ecology practices: participatory approaches to generating and measuring ecosystem services in cities. *Ecosyst Serv* **11**: 177–86.
- Kunkel KE, Easterling DR, Kristovich DAR, *et al.* 2010. Recent increases in US heavy precipitation associated with tropical cyclones. *Geophys Res Lett* **37**: L24706.
- Kuo FE and Sullivan WC. 2001. Aggression and violence in the inner city: effect of environment via mental fatigue. *Environ Behav* **33**: 543–71.
- Larson Jr JR and Christensen C. 1993. Groups as problem-solving units: toward a new meaning of social cognition. *Brit J Soc Psychol* **32**: 5–30.
- Leach M, Scoones I, and Stirling A. 2010. Dynamic sustainabilities: technology, environment, social justice. London, UK: Earthscan.
- Leopold A. 1949. A sand county almanac: and sketches here and there. New York, NY: Oxford University Press.
- Levin SA. 1999. Fragile dominion: complexity and the commons. Cambridge, MA: Helix Books.
- Lyytimäki J, Petersen LK, Normander B, and Bezák P. 2008. Nature as a nuisance? Ecosystem services and disservices to urban lifestyle. *Environ Sci* **5**: 161–72.
- McCormack GR, Rock M, Toohey AM, and Hignell D. 2010. Characteristics of urban parks associated with park use and physical activity: a review of qualitative research. *Health Place* **16**: 712–26.
- McHale MR, Bunn DN, Pickett STA, and Twine W. 2013. Urban ecology in a developing world: why advanced sociological theory needs Africa. *Front Ecol Environ* **11**: 556–64.
- Pataki DE, Carreiro MM, Cherrier J, *et al.* 2011. Coupling biogeochemical cycles in urban environments: ecosystem services, green solutions, and misconceptions. *Front Ecol Environ* **9**: 27–36.
- Pickett STA and Cadenasso ML. 2006. Advancing urban ecological studies: frameworks, concepts, and results from the Baltimore Ecosystem Study. *Austral Ecol* **31**: 114–25.
- Pickett STA, Cadenasso ML, Grove JM, *et al.* 2008. Beyond urban legends: an emerging framework of urban ecology, as illustrated by the Baltimore Ecosystem Study. *BioScience* **58**: 139–50.
- Pincetl S. 2012. Nature, urban development and sustainability – what new elements are needed for a more comprehensive understanding? *Cities* **29**: s32–s37.
- Reyers B, Biggs R, Cumming GS, *et al.* 2013. Getting the measure of ecosystem services: a socioecological approach. *Front Ecol Environ* **11**: 268–73.
- Standish RJ, Hobbs RJ, and Miller JR. 2013. Improving city life: options for ecological restoration in urban landscapes and how these might influence interactions between people and nature. *Landscape Ecol* **28**: 1213–21.
- Tansley AG. 1935. The use and abuse of vegetational concepts and terms. *Ecology* **16**: 284–307.
- Van Vugt M and Kameda T. 2013. Evolution and groups. In: Levine JM (Ed). Group processes. New York, NY: Routledge.
- Vandergast AG, Bohonak AJ, Weissman DB, and Fisher RN. 2007. Understanding the genetic effects of recent habitat fragmentation in the context of evolutionary history: phylogeography and landscape genetics of a southern California endemic Jerusalem cricket (Orthoptera: Stenopelmatidae: *Stenopelmatus*). *Mol Ecol* **16**: 977–92.
- Vemuri AW, Grove JM, Wilson MA, and Burch WRJ. 2011. A tale of two scales: evaluating the relationship among life satisfaction, social capital, income, and the natural environment at individual and neighborhood levels in metropolitan Baltimore. *Environ Behav* **43**: 3–25.
- Wheeler SM. 2013. Planning for sustainability: creating livable, equitable and ecological communities (2nd edn). New York, NY: Routledge.
- Whitehead A, Triant DA, Champlin D, and Nacci D. 2010. Comparative transcriptomics implicates mechanisms of evolved pollution tolerance in a killifish population. *Mol Ecol* **19**: 5186–203.
- Wilson WG. 2011. Constructed climates: a primer on urban environments. Chicago, IL: University of Chicago Press.
- Wolch JR, Byrne J, and Newell JP. 2014. Urban green space, public health, and environmental justice: the challenge of making cities “just green enough”. *Landscape Urban Plan* **125**: 234–44.
- Young RF. 2009. Interdisciplinary foundations of urban ecology. *Urban Ecosyst* **12**: 311–31.
- Young RF and Wolf SA. 2006. Goal attainment in urban ecology research: a bibliometric review 1975–2004. *Urban Ecosyst* **9**: 179–93.